

# CORNIX



# CORMAG® • SHOP SHELVING

**SUPERMARKET, SHOP, BOOKSHOP ...TO EQUIP ?**

*For bigger installations we can make you a free quote.*



**1** The model shown is a single sided shelving (wall shelving), starter unit, equipped with the following accessories : canopy with light, plinth, extra shelf, 2/3 slotted back panel and PVC price rail (datastrip). The standard single sided shelving (wall shelving) consists of the necessary uprights and bases with adjusting screw, one base shelf and one back panel or two tie bars in case of the type without back panels. Standard width : 1000 mm.

**2** The model shown is a double sided shelving (gondola), starter unit, without back panels, equipped with the following accessories : extra shelf and PVC price rail (datastrip). The standard double sided shelving (gondola) consists of the necessary uprights and bases with adjusting screw, two base shelves and two back panels or two tie bars for the model without back panels. Standard width : 1000 mm.

TYPE	SINGLE SIDED (WALL SHELVING) H=2250 MM				DOUBLE SIDED (GONDOLA) H= 1400 MM			
	WITHOUT BACK PANELS				WITHOUT BACK PANELS			
DEPTH BASE (mm)	STARTER UNIT CODE	€	EXTENSION UNIT CODE	€	STARTER UNIT CODE	€	EXTENSION UNIT CODE	€
400	NGSD22542SD0V		NGSC22542SD0V		NGDD14042SD0V		NGDC14042SD0V	
500	NGSD22552SD0V		NGSC22552SD0V		NGDD14052SD0V		NGDC14052SD0V	
	WITH FULL BACK PANELS				WITH FULL BACK PANELS			
DEPTH BASE (mm)	STARTER UNIT CODE	€	EXTENSION UNIT CODE	€	STARTER UNIT CODE	€	EXTENSION UNIT CODE	€
400	NGSD22542PP0V		NGSC22542PP0V		NGDD14042PP0V		NGDC14042PP0V	
500	NGSD22552PP0V		NGSC22552PP0V		NGDD14052PP0V		NGDC14052PP0V	
	WITH 2/3 SLOTTED BACK PANELS				WITH 1/2 SLOTTED BACK PANELS			
DEPTH BASE (mm)	STARTER UNIT CODE	€	EXTENSION UNIT CODE	€	STARTER UNIT CODE	€	EXTENSION UNIT CODE	€
400	NGSD22542PF0V		NGSC22542PF0V		NGDD14042PF0V		NGDC14042PF0V	
500	NGSD22552PF0V		NGSC22552PF0V		NGDD14052PF0V		NGDC14052PF0V	

One of the most esthetical shop shelving systems available and this in the beautiful CORMAG ivory cream colour (epoxy paint +/- 70 micron, RAL 1013). **With it's many accessories it really increases your turnover.**  
 The easy and fast moved steel shelves allow you to redesign your shop without any extra costs.  
 Particularly suitable for grocers, bookshops, showrooms, toyshops, supermarkets, souvenirshops, DIY stores, etc.



**Delivered unassembled. Installation on request. Ask for a free quote !**



## SHELVES (BRACKETS INCLUDED)


W x D (mm)	CODE	€
1000 x 300	NGTA10030C0V	
1000 x 400	NGTA10040C0V	
1000 x 500	NGTA10050C0V	

The shelf shown is equipped with a PVC price rail (optional : see below) and with price labels 40 mm (not available).

## CANOPY WITH CEILING



W x D (mm)	STARTER UNIT CODE	€	EXTENSION UNIT CODE	€
1000 x 600				
Without light	NGFDP1000V		NGFCP1000V	
With light (1 x 30W)	NGFDE1000V		NGFCE1000V	




## ACCESSORIES

DESCRIPTION	WIDTH (mm)	LENGTH (mm)	HEIGHT (mm)	CODE	€
1 PVC price rail (datastrip) RAL 1013 (maximum height label : 40 mm)		1000	40	NG059995000V	
2 Back panel cover	60	1000		NG301060000V	
3 Plinth		1000	190	NG400100000V	
4 Wall bar Dowel (8x40) & screw (5x70) for wall bar	30	2500		NG022500000V 4VCH0V	

## WIRE DIVIDERS

DESCRIPTION	LENGTH (mm)	HEIGHT (mm)	CODE	€
Front wire riser	1000	75	NG077510900V	
Wire divider	300	75	NG077530900V	
Wire divider	400	75	NG077540900V	
Wire divider	500	75	NG077550900V	

## HOW TO CALCULATE THE LENGTH OF YOUR INSTALLATION ?



### don't forget :

- width : add 1 upright width (30 mm).
- depth : add upright depth (60 mm) + tolerance for the back panels (20mm), thus totalling 80 mm.

### example :

2 bays of 1000 mm make :  $2 \times 1000 + 1 \times 30 = 2030$  mm

Distance between uprights = 970 mm. Shelf 1000 mm : useful width 1000 mm (upright pitch : 1000 mm)



**EUROPE'S FIRST MANUFACTURER  
OF STORAGE SYSTEMS**

# CORMAG® • BASKETS



480 mm



960 mm

## WIRE BASKETS

Galvanized; available in two widths (480 mm & 960 mm) and different depths, with or without base on castors.

The baskets with the same width are stackable or can simply be installed on a standard shelf.

Adapted dividers are available for each type of basket. Their solid construction makes these baskets extremely suitable for all types of applications as well in industrial as in commercial environments.

A price rail for these baskets is also available.



### CORNIX ADVICE

Wire baskets are also used in warehouses e.g. for the storage of PVC parts for pipes and gutters.

TYPE	DIMENSIONS WxDxH (mm)	BASKETS CODE	€	DIVIDERS CODE	€	BASE ON CASTORS CODE	€
480 mm	480X350X230	NPA48350V		NPAS350V		-	-
480 mm	480X400X230	NPA48400V		NPAS400V		-	-
480 mm	480X500X330	NPA48500V		NPAS500V		NPAS48600V	
480 mm	480X600X330	NPA48600V		NPAS600V		NPAS48600V	
960 mm	960X400X400	NPA96400V		NPAS40400V		-	-
960 mm	960X500X400	NPA96500V		NPAS50400V		NPAS96500V	
960 mm	960X600X500	NPA96600V		NPAS60500V		NPAS96500V	
960 mm	960X700X500	NPA96700V		NPAS70500V		NPAS96500V	
PVC PRICE RAIL FOR WIRE BASKETS (white) ♦ LxH (mm) 210x40						NDS021C0V	

## SELF SERVICE BASKETS

Our self service baskets are especially designed for smaller shops and small supermarkets or for these areas where self service trolleys are too large. The baskets are equipped with 2 PVC covered handles which guarantee a high stability. Capacity : 20 liters

For the most  
up to date price :  
webshop [www.cornix.eu](http://www.cornix.eu)



DESCRIPTION	CODE	€
Self service basket 20 liters	NPALS200V	








CORMAG® in a toy shop and ....



MINIRACK PLUS® light grey RAL 7035 in the same shop.

# CORMAG® • HOOKS & MIRRORS

## HOOKS FOR SLOTTED PANELS AND SUPPORT BARS

FIG.	DESCRIPTION	SLOTS PITCH (mm)	PACKED PER	LENGTH (mm)	Ø (mm)	CODE	€/pc
<b>HOOKS FOR SLOTTED PANELS</b>							
	Single hook	-	100	40	3,4	NCRS35340	
	Single hook	30	50	100	3,4	NCRS100340	
		30	50	160	3,4	NCRS160340	
		30	50	200	3,4	NCRS200340	
	Single hook	25	50	100	3,4	NCRS100400	
		25	50	160	3,4	NCRS160400	
		25	50	200	3,4	NCRS200400	
		25	50	300	4,8	NCRS300600	
	Double hook	-	50	100	2,5	NCRD100300	
	for blister (closed	-	50	160	3,0	NCRD160300	
	at the front, open	-	50	200	3,4	NCRD200340	
	at the back)	-	50	300	3,8	NCRD300380	
<b>HOOKS FOR SUPPORT BARS (higher loads)</b>							
	Support bar	-	1	1000	20/30	NBA10030200	
	Single hook	-	10	400	8,0	NCRSBA0	

### CORNIX ADVICE

The slotted back panels from the CORMAG shop shelving system have their slots at a 25 mm pitch both lengthwise as heightwise. If you want single hooks for these panels you need these with the 25 mm pitch.

The slotted hardboard panels you can buy at your local DIY store have their slots at a 15 mm pitch.

The correct single hooks for these panels are the ones with the 30 mm pitch.


For double hooks the pitch is of no importance as the hooks are open at the back.

## SAFETY MIRRORS

Various applications : shops, production areas, warehouses, factory entrances, etc.

Two types available : mirrors for interior use only and industrial exterior mirrors (these are also suited for interior use).

For the most  
up to date price :  
webshop [www.cornix.eu](http://www.cornix.eu)



TYPE	Ø (mm)	CODE	€
Interior mirror	600	9DMI600	
Industrial exterior mirror	600	9DME600	


### 1 INTERIOR MIRROR

- Extremely solid acrylic convex mirror delivered with wall fixing and 300 mm long flexible arm.
- Black PVC back.
- Diameter 600 mm.
- Suitable for all interior applications : persons and objects are visible at a distance of 10 to 12 meter.

### 2 MIRROR FOR EXTERIOR USE

- Industrial safety mirror for exterior use.
- Delivered with a galvanized Ø 76 mm tube clamp.
- Grey PVC back UV resistant.
- Diameter 600 mm.
- Suitable for alle exterior applications : persons and objects are visible at a distance of 10 to 12 meter. Also recommended for interior use in areas with high humidity levels.

# CORMAG® • SALES COUNTERS



Sales counter with display shelving at the end.

## MODULAR SALES COUNTERS

based on the CORNIX PLUS® shelving system.

Particularly suited for garages, wholesales, industrial warehouses, etc.

Height 1040 mm. Standard lengths from 1052 mm up to 4058 mm. Longer sales counters are available on request (per module of 1000 or 1250 mm). The sales counter is always 500 or 800 mm deep whilst the overhanging counter top has a useful depth of 600 or 900 mm. As standard equipped with 3 shelves (2 levels) per module. Extra shelves optional.

A vast range of accessories is available :

- plastic bins type MODULBOX • plinths for counter back • 100% roll-out shelf (45 kg load uniformly distributed) • steel dividers • steel intermediate sheets • rubber layer.

Technical characteristics :

- uprights blue RAL 5010 • shelves light grey RAL 7035 • side & front cladding in white melamine panels • counter top is a 39 mm thick scratch resistant Formica panel rounded off at the front.



Delivered unassembled.

On request our specialized installers can install your CORMAG® SALES COUNTER with it's accessories. Ask for a free quote !



### SALES COUNTER DEPTH 600 mm (height 1040 mm)

LENGTH (mm)	MODULES	CODE	€
1052	1 x 1000	TCT60105GBC4	
1302	1 x 1250	TCT60130GBC4	
2054	2 x 1000	TCT60205GBC4	
2304	1 x 1000 + 1 x 1250	TCT60230GBC4	
2554	2 x 1250	TCT60255GBC4	
3056	3 x 1000	TCT60305GBC4	
3306	2 x 1000 + 1 x 1250	TCT60330GBC4	
3556	1 x 1000 + 2 x 1250	TCT60355GBC4	
3806	3 x 1250	TCT60380GBC4	
4058	4 x 1000	TCT60405GBC4	
Installation / per meter (indivisible)		TMONCT4R	

### SALES COUNTER DEPTH 900 mm (height 1040 mm)


LENGTH (mm)	MODULES	CODE	€
1052	1 x 1000	TCT90105GBC4	
1302	1 x 1250	TCT90130GBC4	
2054	2 x 1000	TCT90205GBC4	
2304	1 x 1000 + 1 x 1250	TCT90230GBC4	
2554	2 x 1250	TCT90255GBC4	
3056	3 x 1000	TCT90305GBC4	
3306	2 x 1000 + 1 x 1250	TCT90330GBC4	
3556	1 x 1000 + 2 x 1250	TCT90355GBC4	
3806	3 x 1250	TCT90380GBC4	
4058	4 x 1000	TCT90405GBC4	
Installation / per meter (indivisible)		TMONCT4R	

Above you can find the price for the sales counter modules equipped with 3 shelves (2 levels), melamine front & side cladding, plastic bases and the counter top.

Obviously there are 1000 and 1 other possibilities. If you don't find your counter in the above chart or if you have an important installation to realize, please contact us or ask for the visit of one of our sales engineers.



CORMAG® sales counter integrated in ALUMEL partitioning under TRAVIFORM® A300 modular mezzanine on columns.



ACCESSORIES	DIMENSIONS (mm)	CODE	€
Plinth	900	TPL090G4	
Plinth	1000	TPL100G0	
Plinth	1250	TPL125G0	
intermediate side sheet	1000 x 430	TTC10050B4	
	1000 x 730	TTC10080B4	
Extra shelf	900 x 500	T90501UT0	
max. load 100 kg uniformly distributed; brackets included.	1000 x 500	T100501UT0	
	1250 x 500	T125502UT0	
	900 x 800	T90801UT0	
	1000 x 800	T100801UT0	
	1250 x 800	T125801UT0	
Roll-out shelf 400 mm deep	850 x 500 (400)	T90508TEG4	
max. load 45 kg uniformly distributed; brackets included.	950 x 500 (400)	T100508TEG4	
	1200 x 500 (400)	T125508TEG4	
Roll-out shelf 400 mm deep on 800 mm deep brackets.	850 x 800 (400)	T90808TEG4	
	950 x 800 (400)	T100808TEG4	
	1200 x 800 (400)	T125808TEG4	
Dividers			see cornix plus
Plastic bins Modulbox			see corbac

## RUBBER LAYER

Particularly suitable for sales counters, workbenches, cupboards, etc. in order to avoid damage.

Two types are available : a solid rubber layer 3 mm thick and a corrugated layer also 3 mm thick (at it's thickest point).

DESCRIPTION	CODE	€
SOLID RUBBER 3 MM		
• per full roll 10 m x 1,4 m	JCL3RN2	
• per linear meter 1m x 1,4 m	JCL3MN0	
CORRUGATED RUBBER 3 MM		
• per full roll 10 m x 1,2 m	JCSR3RN2	
• per linear meter 1m x 1,2 m	JCSR3MN0	



*For the most up to date price : please consult us*



**CORMAG® sales counter integrated in a multi tier CORNIX PLUS® shelving installation with display shelving as an extension of the sales counter (installation being built by the CORNIX installation team).**





**EUROPE'S FIRST MANUFACTURER OF STORAGE SYSTEMS**







## YOUR CHOICE OF COLOURS

Standard colour for this product (2 to 4 weeks) :

Ivory (cream)	(shop shelving)	ral 1013	
Gentian blue	(sales counters)	ral 5010	


Other standard colours at extra cost  
(lead time 6 to 8 weeks) :

Zinc yellow	ral 1018	
Orange-red	ral 2002	
Gentian blue	ral 5010	
Light grey	ral 7035	

(bracing & small items always sendzimir)

Other ral colours at extra cost (lead time +/- 10 weeks)  
(bracing & small items always sendzimir).

## OTHER CORNIX® PRODUCTS



**TraviCant**  
Cantilevers



**C-Build**  
Covered storage




**TraviDrive**  
Drive-in & drive-through




**C-Rack**  
Pallet racking



**Cornix Plus**  
Shelving systems



**TraviForm**  
Mezzanines



**TraviRack**  
Pallet racking



**TraviTex**  
Garment storage



**TraviRoll**  
Dynamic storage



**Minirack Plus**  
Long span



## STORAGE SYSTEMS FOR LIFE

[www.cornix.eu](http://www.cornix.eu)

### **CORNIX FLANDERS** **ANTWERPEN (Kiel)**

Boomsesteenweg, 492  
B-2020 Antwerpen

☎ ++/32/(0)3/240 11 30  
☎ ++/32/(0)3/825 30 90  
✉ [sales@cornix.eu](mailto:sales@cornix.eu)

### **CORNIX NETHERLANDS** **DOETINCHEM (no showroom)**

Kruidenlaan 7  
NL-7060 TD Doetinchem

☎ ++/32/(0)3/240 11 30  
☎ ++/32/(0)3/825 30 90  
✉ [sales.nl@cornix.eu](mailto:sales.nl@cornix.eu)

### **CORNIX WALLONIA** **NIVELLES**

Rue de la Recherche 6A, Z.I. 1 Nivelles Sud  
B-1400 Nivelles

☎ ++/32/(0)67/411 241  
☎ ++/32/(0)67/411 249  
✉ [sales@cornix.be](mailto:sales@cornix.be)

### **CORNIX EXPORT SALES** **NIVELLES**

Rue de la Recherche 6A, Z.I. 1 Nivelles Sud  
B-1400 Nivelles

☎ ++/32/(0)67/894 225  
☎ ++/32/(0)67/894 220  
✉ [export@cornix.eu](mailto:export@cornix.eu)