




*CORNIX
STORAGE SYSTEMS
FOR LIFE!*

Minirack Plus

Cornix is manufacturer of storage systems since 1958

MINIRACK PLUS® • LONG SPAN SHELVING



A FEW APPLICATIONS



Storage of tires



Archives



Miniload



Toy shop



Garment storage



Multi-tier installation



Vertical storage



Drum storage

THE 'MILLENNIUM' STORAGE SYSTEM MADE BY CORNIX® !

At last an esthetical long span storage system ! CORNIX® rethought the Minirack Plus® system completely to make it more esthetical without however touching it's technical characteristics !
On top of that thanks to the new design the price was reduced.

Based on the principle that the Minirack Plus® system is the big brother of the Cornix Plus® system we gave the upright the same flush unslotted front : this makes it a lot more esthetical and makes applications in shops, boutiques, showrooms, ... perfectly possible. The beam is simply inserted in the inner side of the upright.

The standard heights were adapted to those of the Cornix Plus® shelving system as to make a combination of both types of shelving a lot more easier. Finally from now on we can offer three types of bases so you can choose the one that is best suited for your needs. The applications for the Minirack Plus® system remain of course the same i.e. : independent storage, mezzanine, dynamic storage, automated storage of the miniload type, workbenches, vertical storage, office furniture, specific applications like storage of tires, windscreens, exhausts, etc.

The Minirack Plus® range is used when the Cornix Plus® range doesn't meet the load requirements or when the bay length exceeds 1250 mm.

Frames

- Maximum load up to 4 tonnes.
- Heights from 1750 to 3250 mm (higher uprights possible with the use of upright sleeves).
- Depths 400, 500, 600, 800 and 1000 mm. Depths > 1000 mm : frames with 3 uprights.
- A number of possibilities for the base : plastic base, plastic base with adjusting screw or steel base. The basic price from the frames is excluding the base in order to leave you the possibility to choose the base that fits best your requirements.
- Delivered not assembled. Standard colour : blue RAL 5010 (bracing sendzimir). Other colours available at extra cost.



Beams

Beam/upright locking system, just insert beam and insert the safety pins. Adjustable every 50 mm. Beams are inserted in the inner side of the uprights. Beam lengths 1200 to 2400 mm. Standard colour blue RAL 5010. Three types available :

- TA = stepped beam with a 22 mm high drop-in zone for your sunk shelves
- T = rectangular tube beam for heavier loads
- TX = round or oval tube for garment storage (price on request).

MAKE YOUR CHOICE IN FUNCTION OF YOUR REQUIREMENTS :

Minirack Plus®	shelf length 1200 to 2400 mm (height : 50 à 70 mm) shelf depth 400 to 1000 mm and more ...
Cornix Plus®	shelf length 1000 & 1250 mm (height 30 mm) shelf depth 300 to 800 mm

**Briefly, Minirack Plus®
saves you money and space !**

Delivered unassembled. Easy installation.


On request our specialized installers will install your Minirack Plus® installation and it's accessories.

Ask for a free quote !




adjustable every 50 mm

HOW TO CALCULATE THE LENGTH OF YOUR INSTALLATION ?



depth frame



don't forget :

- ▶ to add the width of each upright (50 mm)
- ▶ the overhang of the base plate (only in case of a steel base) : add 25 mm once for the total length.

example :


2 bays of 1500 mm make a total of : $2 \times 1510 + 3 \times 50 = 3170 \text{ mm} + 25 \text{ mm overhang base plate} = 3195 \text{ mm}$

FRAMES : load up to 4 tonnes

The drawings of the bracing are for guidance only and may vary depending on the depth of the frames.

Other dimensions on request.


Attention : don't forget to order the bases separately !



HEIGHT (mm)	1750		2000		2250		2500		3000		3250	
DEPTH (mm)	CODE	€	CODE	€	CODE	€	CODE	€	CODE	€	CODE	€
400	M1704B0		M2004B0		M2204B0		M2504B0		M3004B0		M3204B0	
500	M1705B0		M2005B0		M2205B0		M2505B0		M3005B0		M3205B0	
600	M1706B0		M2006B0		M2206B0		M2506B0		M3006B0		M3206B0	
800	M1708B0		M2008B0		M2208B0		M2508B0		M3008B0		M3208B0	
1000	M1710B0		M2010B0		M2210B0		M2510B0		M3010B0		M3210B0	

BASES (2 required per frame; price/piece)

TYPE	CODE	€
steel	MPMB0	
plastic	JPP5030N0	
plastic + adjusting screw	JPP5030VN0	
steel wedge 120x75x3 mm	TCAL120752TZ0	



The plastic base can also be used as a plastic cap at the top of the uprights of the frame.


Always 2 bases needed per frame !

3 types in function of frame loads and application !

- Plastic base (black) for light and medium loads up to 1000 kg per frame.
- Plastic base (black) with adjusting screw (M10x60) for light and medium loads up to 1000 kg per frame; for irregular floors or to compensate small level differences.
- Steel base (blue) for loads up to 4 tonnes per frame and/or if floor anchoring is required.

For the most up to date price : please consult us

BEAMS (2 safety pins included)



BEAM TYPE	TA 60 X 30 X1,5			T 50 X 30 X 1,5			T 70 X 30 X 2		
LENGTH (mm)	kg/pair	CODE	€	kg/pair	CODE	€	kg/pair	CODE	€
1200	650	MTA612TB0		710	MT512TB4		1000	MT712TB4	
1500	520	MTA615TB0		500	MT515TB4		1000	MT715TB4	
1800	433	MTA618TB0		350	MT518TB4		900	MT718TB4	
2100	336	MTA621TB0		270	MT521TB4		700	MT721TB4	
2400	257	MTA624TB0		207	MT524TB4		450	MT724TB4	


TA beam on stock (blue RAL 5010). Other references carry a delivery period +/- 4 weeks.

Kg/pair = load per pair of beams in kg uniformly distributed with a maximum deflection of 1/250th.


SHELVES for TA beams

- * chipboard 22 mm high density (630 kg/m³) : see pricelist hereafter
- * melamine : price on request
- * steel shelves : price on request

steel shelf on request



DEPTH (mm)	600		800		1000	
LENGTH (mm)	CODE	€	CODE	€	CODE	€
1200	WA22119592		WA22119792		WA22119992	
1500	WA22149590		WA22149790		WA22149990	
1800	WA22179590		WA22179790		WA22179990	
2100	WA22209590		WA22209790		WA22209990	
2400	WA22239590		WA22239790		WA22239990	
Other dimensions : length or depth cut					WACOUPE222	



DIVIDERS (2 braces needed per divider; price/piece)

DESCRIPTION

brace for divider 22 mm
divider 22 mm

CODE

€


ASITU22B0

You install the divider exactly
where you want.

*For the most
up to date price :
please consult us*

DEPTH SUPPORT

LENGTH (mm)	TA BEAM CODE	€	T BEAM CODE	€
600	MTSTA6Z0		MTST6B4	
700	MTSTA7Z4		MTST7B4	
800	MTSTA8Z0		MTSTM4	
900	MTSTA9Z4		MTST9B4	
1000	MTSTA10Z0		MTST10B4	



DIVIDER ARM DIVIDER FRAME

DESCRIPTION	H x D (mm)	Ø (mm)	CODE	€
divider arm	450	50x30	MBST503045B4	
divider arm	700	50x30	MBST503070B4	
plastic cap		50x30	JPP5030N0	
divider frame	450/450/450	21	MCS34545B4	
divider frame	450/900/450	27	MCS34590B4	
divider frame	700/900/700	27	MCS37090B4	

FRAME TIE

LENGTH (mm)	CODE	€
200	MT260Z4	
300	MT360Z4	
400	MT460Z4	
500	MT560Z4	

DRUM CRADLE (chassis)

DEPTH (mm)	CODE	€
800	MSFC20080B4	

* for 200 liter drums
* Ø 600 mm

Delivery period accessories : +/- 4 weeks

You didn't find the accessory you need ? Please contact us !

AND A FEW MORE APPLICATIONS...



Workbenches and packing tables Minirack Plus®




CORNIX® OFFICE : Minirack Plus® office furniture



**EUROPE'S FIRST MANUFACTURER
OF STORAGE SYSTEMS**

MINIRACK PLUS® • VERTICAL STORAGE



VERTICAL STORAGE

A storage system based on the Minirack Plus® system, specially designed for the vertical storage of pipes, beams, profiles, frames, enz. The inclined leaning of your goods against the vertical storage system makes you realize considerable space.

APPLICATIONS

Timber yards, plumbers, DIY's, builder's merchants, etc.

characteristics

1. Frames. Available in 3 heights single- or double sided. Frame width 50 mm.

Steel base included allowing anchoring to your floor.

2. Beams. The beams are required to connect the frames with each other.

Their number varies with the frame height. The level of the beams is adjustable every 50 mm. Five lengths are available allowing you to optimize your installation.

The beams are used to click on the divider arms or frames.

3. Dividers. Two types of dividers are available : the divider arm or the divider frame.

They are hooked on to the beams. A divider frame for upright is also available : this type has to be installed on the upright rather than on the beam.

4. Poster holder. A poster holder can be fixed to the divider frames.

Colour : blue. Dimensions : 305 x 215 mm (for A4 posters). Available for quantities exceeding 100 pieces. Price on request.

5. Anchors. The frames have to be fixed to the floor by means of two anchors per frame. To be ordered separately !


6. Finishing. All parts lacquered blue RAL 5010. A light grey finishing RAL 7035 is possible at an extra cost of 10 %. Sendzimir frame bracing.


Everything delivered unassembled with a installation manual supplied. A quote for installation by Cornix is available on request.



CORNIX ADVICE

**Opt for a double sided vertical storage system :
hardly more expensive than a single sided one but 100 % storage gain !**

 Height (mm)	Useful bay width (mm)	Type of beam	Depth bottom/top (mm)	Number of beams	SINGLE SIDED			
					Starter unit		Extension unit	
					CODE	€	CODE	€
2500	1200	T50	450/200	3	MRSD2512B4		MRSS2512B4	
	1500	T50	450/200	3	MRSD2515B4		MRSS2515B4	
	1800	T50	450/200	3	MRSD2518B4		MRSS2518B4	
	2100	T70	450/200	3	MRSD2521B4		MRSS2521B4	
	2400	T70	450/200	3	MRSD2524B4		MRSS2524B4	
3000	1200	T50	500/200	4	MRSD3012B4		MRSS3012B4	
	1500	T50	500/200	4	MRSD3015B4		MRSS3015B4	
	1800	T50	500/200	4	MRSD3018B4		MRSS3018B4	
	2100	T70	500/200	4	MRSD3021B4		MRSS3021B4	
	2400	T70	500/200	4	MRSD3024B4		MRSS3024B4	
4000	1200	T50	600/300	6	MRSD4012B4		MRSS4012B4	
	1500	T50	600/300	6	MRSD4015B4		MRSS4015B4	
	1800	T50	600/300	6	MRSD4018B4		MRSS4018B4	
	2100	T70	600/300	6	MRSD4021B4		MRSS4021B4	
	2400	T70	600/300	6	MRSD4024B4		MRSS4024B4	

 Height (mm)	Useful bay width (mm)	Type of beam	Depth bottom/top (mm)	Number of beams	DOUBLE SIDED			
					Starter unit		Extension unit	
					CODE	€	CODE	€
2500	1200	T50	600/200	4	MRDD2512B4		MRDS2512B4	
	1500	T50	600/200	4	MRDD2515B4		MRDS2515B4	
	1800	T50	600/200	4	MRDD2518B4		MRDS2518B4	
	2100	T70	600/200	4	MRDD2521B4		MRDS2521B4	
	2400	T70	600/200	4	MRDD2524B4		MRDS2524B4	
3000	1200	T50	700/200	6	MRDD3012B4		MRDS3012B4	
	1500	T50	700/200	6	MRDD3015B4		MRDS3015B4	
	1800	T50	700/200	6	MRDD3018B4		MRDS3018B4	
	2100	T70	700/200	6	MRDD3021B4		MRDS3021B4	
	2400	T70	700/200	6	MRDD3024B4		MRDS3024B4	
4000	1200	T50	900/300	8	MRDD4012B4		MRDS4012B4	
	1500	T50	900/300	8	MRDD4015B4		MRDS4015B4	
	1800	T50	900/300	8	MRDD4018B4		MRDS4018B4	
	2100	T70	900/300	8	MRDD4021B4		MRDS4021B4	
	2400	T70	900/300	8	MRDD4024B4		MRDS4024B4	

Prices for starter- and extension units without dividers, delivered unassembled, without anchors.



DIVIDERS

DESCRIPTION	DIMENSIONS (mm)		FOR T50		FOR T70	
	P x H	Ø	CODE	€	CODE	€
divider arm	450	50 x 30	MBST503045B4		MBST503045B4	
	700	50 x 30	MBST503070B4		MBST503070B4	
divider frame for beam	450/450/450	21	MCS34545B4		MCS34545B4	
	450/900/450	27	MCS34590B4		MCS34590B4	
	700/900/700	27	MCS37090B4		MCS37090B4	
divider frame for upright	450/450/450	21	MCSM54545B4		MCSM54545B4	
	450/900/450	27	MCSM54590B4		MCSM54590B4	
	700/900/700	27	MCSM57090B4		MCSM57090B4	

*For the most
up to date price :
please consult us*

ACCESSORIES

DESCRIPTION	CODE	€
Anchor concrete Ø 10 mm	JEXP101000	
Anchor asphalt Ø 12 mm	JEXPC101304	
Poster holder A4 including 2 tube cleats	MRAFA4B9	on request

Delivered unassembled. Easy installation.

Frames to be bolted and the beams are just clicked in. On request our specialized installers will install your vertical storage system. Ask for a free quote !



MINIRACK PLUS® • WORKBENCHES



For the most up to date price : please consult us

WORKBENCHES & TABLES MINIRACK PLUS®

Workbenches & worktables - packing tables based on the Minirack Plus® system.

Standard height : 850 mm + worktop of your choice.


Standard depth structure : 700 en 800 mm (other depths on request). Depth of worktop is 90 mm more than the structure depth.

Standard length structure : 1300, 1600 and 1900 mm. The worktop is 50 mm longer than the structure.

Colour structure : blue RAL 5010

Worktop of you choice :

- chipboard 22 and 38 mm
- white melamine 22 mm with or without taped up sides
- multiplex



Extra shelf and full range of accessories available. Equipped with plastic feet. Steel base or adjustable base on request.

Delivered non assembled. Easy assembling.



Given the huge number of possibilities and the flexibility of our production we can provide a worktable, workbench or packing table that suits your needs perfectly. Ask for a free quote for any non-standard type.

WORKBENCH Minirack Plus® 700 mm deep structure

TYPE		135/70		165/70		195/70	
DESCRIPTION (non assembled)		CODE	€	CODE	€	CODE	€
Structure	lxd (mm)	1300x700		1600x700		1900x700	
2(1) frames h=850 mm	starter	ME13570D4		ME16570D4		ME19570D4	
+ 2 beams T50x30 with extension		ME13570S4		ME16570S4		ME19570S4	
welded angle interior + 4(2) feet + screws for worktop fixation.							
Worktop	lxd (mm)	1350x790		1650x790		1950x790	
chipboard 22 mm		MEA22135794		MEA22165794		MEA22195794	
chipboard 38 mm		MEA38135794		MEA38165794		MEA38195794	
melamine 22 mm, 4-sided taped up		MEMB22135794		MEMB22165794		MEMB22195794	
melamine 39 mm, 3-sided taped up		MEMB391AR135804		MEMB391AR165804		MEMB391AR195804	
+ 1 side rounded off							
melamine 39 mm, 2-sided taped up			not available		not available		not available
+ 2 sides rounded off			on request		on request		on request
multiplex 22 mm		MEMU22135794		MEMU22165794		MEMU22195794	
multiplex 40 mm		MEMU40152755		MEMU40169755		MEMU40200755	
Extra shelf	lxd (mm)	1200x700		1500x700		1800x700	
2 beams TA60x30		METAA22120704		METAA22150704		METAA22180704	
+ 1 chipboard 22 mm							
2 beams TA60x30 + 1 melamine board 22 mm not taped up		METAM22120704		METAM22150704		METAM22180704	

WORKBENCH Minirack Plus® 800 mm deep structure

TYPE		135/80		165/80		195/80	
DESCRIPTION (non assembled)		CODE	€	CODE	€	CODE	€
Structure	lxd (mm)	1300x800		1600x800		1900x800	
2(1) frames h=850 mm	starter	ME13580D4		ME16580D4		ME19580D4	
+ 2 beams T50x30 with	extension	ME13580S4		ME16580S4		ME19580S4	
welded angle interior + 4(2) feet + screws for worktop fixation.							
Worktop	lxd (mm)	1350x890		1650x890		1950x890	
chipboard 22 mm		MEA22135894		MEA22165894		MEA22195894	
chipboard 38 mm		MEA38135894		MEA38165894		MEA38195894	
melamine 22 mm, 4-sided taped up		MEMB22135894		MEMB22165894		MEMB22195894	
melamine 39 mm, 3-sided taped up			not available		not available		not available
+ 1 side rounded off							
melamine 39 mm, 2-sided taped up		MEMB392AR135904		MEMB392AR165904		MEMB392AR195904	
+ 2 sides rounded off							
multiplex 22 mm		MEMU22135894	on request	MEMU22165894	on request	MEMU22195894	on request
multiplex 40 mm		MEMU40135899		MEMU40165899		MEMU40195899	
Extra shelf	lxd (mm)	1200x800		1500x800		1800x800	
2 beams TA60x30		METAA22120804		METAA22150804		METAA22180804	
+ 1 chipboard 22 mm							
2 beams TA60x30 + 1 melamine		METAM22120804		METAM22150804		METAM22180804	
board 22 mm not taped up							



Chipboard worktop



Melamine worktop



Multiplex worktop



Extra shelf

FRAME FOR ACCESSORIES	1350		1650		1950	
for workbench with length (mm)	CODE	€	CODE	€	CODE	€
Raised frame 1000 mm (fixings included) per piece (depth 220 mm) : 1 required per side !	MEMR100B4		MEMR100B4		MEMR100B4	
Shelf 220 mm deep for raised frame :						
* without worktop (e.g. to fit Corbac C3)	META120204		META150204		META180204	
* with chipboard worktop 22 mm	METAA22120204		METAA22150204		METAA22180204	
* with melamine worktop 22 mm not taped up	METAM22120204		METAM22150204		METAM22180204	
This shelf can be installed slanted in order to fit your Corbac C3 inclined.						
Cable drum bracket for raised frame (per piece), tubes up to Ø 25 mm	MEPT22B4		MEPT22B4		MEPT22B4	
Beam TA60x30 backwards welded for installation of accessories (e.g. neon light strips, plastic bins Corbac PS).	MTAR612B4		MTAR615B4		MTAR618B4	

Attention : in order to guarantee the stability of the raised frames in case of cable drum brackets a top shelf is needed (with our without worktop) !



EUROPE'S FIRST MANUFACTURER
OF STORAGE SYSTEMS



ACCESSORIES	DIMENSIONS (mm) L x D x H	CODE	€
Adjustable base (per piece)		JPP5030VN0	
Cupboard unit, door opening to the right : to be used preferably together with the 700 mm deep structure; equipped with yale lock and 2 galvanized shelves.	500 x 700 x 585	MA1P507058B0V	
Drawer block with 4 drawers : to be used preferably together with the 700 mm deep structure; interior dimensions drawers : 415x650 mm (wxd); heights 95, 2x110 and 170 mm; equipped with central locking system and anti-tilt safety system.	500 x 700 x 585	MA3T507058B0V	
Plastic bins Corbac (type C3 is recommended for the raised shelf)			webshop
Plastic bins Modulbox (recommended depth 600 mm)			webshop
Plastic bins Normeurop (recommended depths 600 & 800 mm)			webshop
Fender for bins (to be fixed onto the extra shelf)	1200 x 31 x 54 1500 x 31 x 54 1800 x 31 x 54	MEAR120B4 MEAR150B4 MEAR180B4 ASITU22B4	
Brace for chipboard divider 22 mm (2 braces required per divider, price per piece)			
Chipboard divider 22 mm			on request

Attention : in order to install a drawer block or a cupboard unit an extra shelf is required. This has to be ordered separately.



Workbench 165/70 with extra shelf



Workbench 165/70 with extra shelf and a 4-drawer block



Workbench 165/70 with extra shelf and cupboard with 2 galvanized shelves



Workbench 165/70 with extra shelf, 4-drawer block and cupboard with 2 shelves



Brace for chipboard divider



Corbac plastic bins



Modulbox plastic bins

MINIRACK PLUS® • DRUM STORAGE



starter unit 3000 x 800 (6x200 liter) + canopy + 1 can holder (optional)



starter unit 2500 x 800 (6x200 liter) + 2 extension units 1750 x 800 (4x200 liter) + 1 can holder (optional)



CORNIX ADVICE
Minirack Plus® offers you also the perfect solution for tire storage. Consult us !

LONGSPAN DRUM STORAGE SYSTEM

The most economical and ecologically sound way of storing your oil drums or chemical products. Based on the MinirackPlus® system these racks can be used to store either 50 or 200 liter drums. Installed in less than no time !

Every unit is equipped with a 240 liter galvanized safety trough (1400x1150x250 mm) in order to avoid damage to the environment due to eventual leakages, and also the necessary static drum cradles.

Possible options : rotating drum cradles, anchors, canopies and can supports.

Load capacity frame : 4 tonnes. Maximum load capacity of the pair of beams (tube 70x30, length 1500 mm) : 1000 kg uniformly distributed (maximum deflection 1/250e). Beams adjustable every 50 mm. Standard finishing : blue RAL 5010, sendzimir frame bracing.

STORAGE CAPACITY (liters)	H x D (mm)	NUMBER OF LEVELS	CANOPY y/n	CANOPY L x D (mm)	MODULE	LENGTH (mm)	CODE	€
6 x 200	2500 x 800	3	no	-	starter unit	1600	MF2508620D4	
6 x 200	2500 x 800	3	no	-	extension unit	1550	MF2508620S4	
9 x 50	2500 x 800	3	no	-	starter unit	1600	MF250895D4	
9 x 50	2500 x 800	3	no	-	extension unit	1550	MF250895S4	
4 x 200	1750 x 800	2	no	-	starter unit	1600	MF1708420D4	
4 x 200	1750 x 800	2	no	-	extension unit	1550	MF1708420S4	
6 x 50	1750 x 800	2	no	-	starter unit	1600	MF170865D4	
6 x 50	1750 x 800	2	no	-	extension unit	1550	MF170865S4	
6 x 200	3000 x 800	3	yes	1700 x 1200	starter unit	1600	MFA3008620D4	
6 x 200	3000 x 800	3	yes	1600 x 1200	extension unit	1550	MFA3008620S4	
9 x 50	3000 x 800	3	yes	1700 x 1200	starter unit	1600	MFA300895D4	
9 x 50	3000 x 800	3	yes	1600 x 1200	extension unit	1550	MFA300895S4	
4 x 200	2500 x 800	2	yes	1700 x 1200	starter unit	1600	MFA2508620D4	
4 x 200	2500 x 800	2	yes	1600 x 1200	extension unit	1550	MFA2508620S4	
6 x 50	2500 x 800	2	yes	1700 x 1200	starter unit	1600	MFA250895D4	
6 x 50	2500 x 800	2	yes	1600 x 1200	extension unit	1550	MFA250895S4	



ACCESSORIES	DIMENSIONS (mm)	CODE	€
Canopy per unit			
• starter unit (frame height 3000 instead of 2500 mm or 2500 instead of 1750 mm required)	1700 x 1200	MTRT16124	
• extension unit (frame height 3000 instead of 2500 mm or 2500 instead of 1750 mm required)	1600 x 1200	MTRT15124	
Drum cradle (static) for 200 liter drums	Ø 600	MSFC20080B4	
Drum cradle (static) for 50 liter drums		MSFC5080B4	
Rotating drum cradle for 200 liter drums	Ø 600	MSFCM20080B9	
Can holder		MSJCV4	
Safety trough 240 liter	1400 x 1150 x 250 (150)	MBAC14112Y6	
Anchor for concrete floor	Ø 10 (drill Ø 10)	JEXP101000	
Anchor for asphalt floor	Ø 10 (drill Ø 12)	JEXPC101304	

**Need a higher installation or wider bays ? Or a galvanized version for exterior use ?
We can supply a drum storage system based on the CORNIX pallet racking system. Ask for a free quote.**



YOUR CHOICE OF COLOURS

Standard colour for this product :

Gentian blue

ral 5010



(bracing & small items : sendzimir)

Other standard colours without surcharge
(lead time +/- 4 weeks) :

Ivory (cream)

ral 1013



Zinc yellow

ral 1018



Orange-red

ral 2002



Light grey

ral 7035




(bracing & small items always sendzimir)

Other ral colours at extra cost

(lead time +/- 6 weeks).

(bracing & small items always sendzimir)

OTHER CORNIX® PRODUCTS



TraviCant
Cantilevers



C-Build
Covered storage




TraviDrive
Drive-in & drive-through




C-Rack
Pallet racking




Cornix Plus
Shelving systems



TraviForm
Mezzanines



TraviRack
Pallet racking



TraviTex
Garment storage



TraviRoll
Dynamic storage



C-Cable
Cable drum storage



STORAGE SYSTEMS FOR LIFE

www.cornix.eu

CORNIX FLANDERS

ANTWERPEN (Kiel)

Boomsesteenweg, 492
B-2020 Antwerpen

☎ ++/32/(0)3/240 11 30

☎ ++/32/(0)3/825 30 90

✉ sales@cornix.eu

CORNIX NETHERLANDS

DOETINCHEM (no showroom)

Kruidenlaan 7
NL-7006 TD Doetinchem

☎ ++/32/(0)3/240 11 30

☎ ++/32/(0)3/825 30 90

✉ sales.nl@cornix.eu

CORNIX WALLONIA

NIVELLES

Rue de la Recherche 6A, Z.I. 1 Nivelles Sud
B-1400 Nivelles

☎ ++/32/(0)67/411 241

☎ ++/32/(0)67/411 249

✉ sales@cornix.be

CORNIX EXPORT SALES

NIVELLES

Rue de la Recherche 6A, Z.I. 1 Nivelles Sud
B-1400 Nivelles

☎ ++/32/(0)67/894 225

☎ ++/32/(0)67/894 220

✉ export@cornix.eu